



U.S. Department of Transportation

National Highway
Traffic Safety
Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PEDESTRIAN CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

PSU <u>82</u> CASE NO. <u>643 P</u>

TYPE OF ACCIDENT ____CAR/PEDESTRIAN WALKING

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Pedestrian injury mechanism and vehicle interaction is the focus, not pedestrian or driver culpability. <u>Do not include any personal identifiers.</u>)

Vehicle #1 was travelling westbound in lane 1 of a 5-lane, 2-way street approaching a pedestrian crosswalk. A vehicle in lane 2 stopped for a pedestrian walking northbound in the crosswalk. When the pedestrian walked into lane 1 Vehicle #1 locked up her brakes and the front of Vehicle #1 impacted the pedestrian who had turned to the west to avoid Vehicle #1. The pedestrian wrapped on the hood and slid back down the hood as Vehicle #1 came to rest.

	B. PEDESTRIAN PROFILE											
Pedestrian			Treatment/ (TO BE COMPLETED BY ZONE CENTE									
No.	Age	Sex	Mortality	Body Region	Ana. Struc.	AIS	Injury Source					
01	84	Male	Treated & released	Spine	Organs	}	Hood					

Body Region	Type of Anatomic Structure	Abbreviated Injury Scale
Head Face Throat Chest Abdomen/Pelvis Spine Upper Extremity Lower Extremity External	Whole Area Vessels Nerves Organs Skeletal Head-LOC Skin-Burn Skin-Other	 (1) Minor injury (2) Moderate injury (3) Serious injury (4) Severe injury (5) Critical injury (6) Maximum (untreatable) (7) Injured, unknown severity

	C. VEHICLE PROFILE										
	Class		Most Severe Damage Based on Vehicle Inspection								
Vehicle No.	of Vehicle	Year/Make/Model	Damage Plane	Damage Description							
01	Intermediate	92/Mercury/Sable Wagon	Front	Minor - smears to heed							

DO NOT SANITIZE THIS FORM

ACCIDENT COLLISION DIAGRAM

l'ational Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY Indica PSU No. North Case Number - Stratum s'denalk Sideralk

Scale: 1 centimeter = 3

ACCIDENT COLLISION DIAGRAM U.S. Department of Transportation National Highway Traffic Safety Administration NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM Indicate PSU No. Case Number—Stratum North RL 1.0E 3.7E 50 ,95 2 POIL SIGNOS YRYRL



PEDESTRIAN ACCIDENT COLLISION MEASUREMENT TABLE NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number $\underline{\mathcal{S}}$ $\underline{\mathcal{J}}$	_	Case Num	nber-Stratum 6 + 3 P
PEDESTRIAN ACCIDENT CO	LLISION DATA C	COLLECTION	SCALED DIAGRAM
document reference point and reference line relative to physical features	Surface Type	Concreto.	north arrow placed on diagram
documentation of all accident induced physical evidence including (if applicable):	Surface Condition	n Net	grade measurements for all applicable roadways
a) vehicle skid marks	Coefficient of Frid	ction .50~.00 .	scaled representations of the physical plant including:
b) pedestrian contacts with ground or object	Grade (v/h) Mea	surement C/	 all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings, parked vehicles, poles, signs, etc.)
c) vehicle/pedestrian point of impact (POI)	a) at impa	ict	b) all traffic controls (e.g., lights, signs)
d) location of pedestrian separation point from vehicle	b) betwee final res	n impact and — 1/23	scaled representations of the vehicle and pedestrian at pre-impact, impact, and final rest based upon either:
f) final resting points (FRP) for pedestrian and vehicle	Pedestrian Trave		a) physical evidence, or
documentation of the physical plant including:	Vehicle Travel D	irection West	b) reconstructed accident dynamics
all road/roadway delineation (e.g., crosswalks, curb/edge lines, lane markings, medians, pavement markings; parked vehicles, poles,	Number of Trave	Lanes 5	
signs, etc.)			
b) all traffic controls (e.g., lights, signs)			
Reference Point: Lytto Fold	fish	Reference Line: Distance and Direction	Distance and Direction
Item		from Reference Point	from Reference Line
Point of Indian	•		
- 9005	Scull	5.6 3 6.0 E	2.05
	90		
Fral Rest (1)	A		
- France	of lar	-1 W	1.95
- R.F. J	ire	110 E	.95
- R.R. T	ire	3.7 E	.95

Item	Distance and Direction	Distance and Direction
nem	from Reference Point	from Reference Line
		·
Control Contro		

PEDESTRIAN ACCIDENT FORM NATIONAL ACCIDENT SAMPLING SYSTEM

PEDESTRIAN CRASH DATA STUDY

١.	Primary	Sampling	Unit	Number
----	---------	----------	------	--------

2. Case Number - Stratum

IDENTIFICATION

3. Number of General Vehicle Forms Submitted

4. Date of Accident (Month, Day, Year)



5. Time of Accident

Code reported military time of accident.

NOTE: Midnight = 2400 Unknown = 9999

SPECIAL STUDIES - INDICATORS

Check (✓) each special study (SS15-SS19 below) that has been completed; code 1 for the checked special studies and 0 for the special studies not checked.

6. SS15 Administrative Use 0

7. SS16 Pedestrian Crash Data Study 1

8. SS17 Impact Fires 0

SS18 0

10. SS19 0

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

<u>0 1</u>

PEDESTRIAN STUDY CRITERIA

Pedestrian Definition:

Any person who is on a trafficway or on a sidewalk or path contiguous with a trafficway, or on private property (e.g., parking lot). Note: Pedestrians include persons who are in contact with the ground, roadway, etc. and are pushing carts, wagons, etc. or holding on to a vehicle.

Persons in or on a nonmotorist conveyance are not pedestrians and are excluded from this study. A nonmotorist conveyance is defined as any human powered device by which a nonmotorist may move, or by which a pedestrian or nonmotorist may move another nonmotorist. A nonmotorist conveyance for purposes of this study includes the following: bicycles, baby carriages, roller skates/blades, push carts, scooters, wheelchairs, animals, etc. For example, persons on a bicycle/scooter, roller skating/blading, in a baby carriage/push cart/wheelchair or on a horse are excluded.

Case Selection Criteria:

A forward moving, late model year (VEH04 equals 90 to 95) CDS applicable vehicle (VEH07 equals 01 to 49) must strike a pedestrian.

The striking portion of the vehicle structure must be original equipment manufacturer (OEM) without previous damage and or parts removed in the impact area. For example, vehicles equipped with deer guards, winches, snow plows, etc. or previously damaged in the impact area are excluded.

The pedestrian may not be lying or sitting.

The pedestrian impact(s) are the vehicle's only impact(s). If multiple pedestrians are impacted, each pedestrian shall be a separate

The first point of contact between the late model year, CDS applicable vehicle and the pedestrian must be forward of the top of the A pillar.

I	PEDESTRIAN ACCIDENT EVENTS										
	Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage				
	12. <u>0 1</u>	13. <u>0 1</u>	14. 03	15.	16. <u>7</u> <u>2</u>	17. <u>0</u> <u>0</u>	18. <u> 0 </u>				

CODES FOR CLASS OF VEHICLE

- (00) Not a motor vehicle
- (01) Subcompact/mini (wheelbase < 254 cm)
- (02) Compact (wheelbase ≥ 254 but < 265 cm)
- (03) Intermediate (wheelbase ≥ 265 but < 278 cm)
- (04) Full size (wheelbase ≥ 278 but < 291 cm)
- (05) Largest (wheelbase ≥ 291 cm)
- (09) Unknown passenger car size
- (11) Compact utility vehicle
- (12) Large utility vehicle (≤ 4,500 kgs GVWR)
- (13) Passenger van (≤ 4,500 kgs GVWR)
- (14) Other van (≤ 4,500 kgs GVWR)
- (15) Pickup truck (≤ 4,500 kgs GVWR)
- (18) Other truck (≤ 4,500 kgs GVWR)
- (19) Unknown light truck type

CODES FOR GENERAL AREA OF DAMAGE (GAD)

CDS APPLICABLE VEHICLES

- (F) Front
- (R) Right side
- (L) Left side
- (U) Undercarriage
- (9) Unknown

CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED

Collision with Nonfixed Object

(72) Pedestrian

U.S. Department of Transportation National Highway Traffic Safety Administration

PEDESTRIAN ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1.	Primary Sampling Unit Number 82	10. Pedestrian's Weight
2.	Case Number - Stratum 642 P	Code actual weight to the nearest kilogram. (999) Unknown
3.	Pedestrian Number <u>0 1</u>	\2\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
	PEDESTRIAN'S CHARACTERISTICS	PEDESTRIAN'S PRE-AVOIDANCE ACTIONS
4.	Pedestrian's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older	11. Pedestrian Attitude (1) Standing (2) Crouching (3) Kneeling
	(99) Unknown 1	(4) Bending at waist (8) Other (specify): (9) Unknown
5.	Pedestrian's Sex (1) Male (2) Female - not reported pregnant (3) Female - pregnant-1st trimester (1st-3rd month) (4) Female - pregnant-2nd trimester (4th-6th month) (5) Female - pregnant-3rd trimester (7th-9th month) (6) Female - pregnant-term unknown (9) Unknown	12. Pedestrian Motion (0) Not moving (1) Walking slowly (2) Walking rapidly (3) Running or jogging (4) Hopping (5) Skipping
6.	Pedestrian's Overall Height Code actual height to the nearest centimeter. (999) Unknown inches X 2.54 = centimeters	(6) Jumping (7) Falling/stumbling or rising (8) Other (specify): (9) Unknown 13. Pedestrian's Action Relative to Vehicle (00) Stopped
7.	Pedestrian's Height - Ground to Knee Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	(01) Crossing road, straight (02) Crossing road, diagonally (03) Moving in road, with traffic (04) Moving in road, against traffic (05) Off road, approaching road (06) Off road, going away from road (07) Off road, moving parallel
8.	Pedestrian's Height - Ground to Hip Code to the nearest centimeter. (999) Unknown	(08) Off road, crossing driveway (09) Off road, moving along driveway (98) Other (specify):
9.	Pedestrian's Height - Ground to Shoulder Code to the nearest centimeter. (999) Unknowninches X 2.54 =centimeters	14. Pedestrian's Body (Chest) Orientation Relative to Striking Vehicle Prior to Avoidance Actions (1) Facing vehicle (2) Facing away (3) Left side to vehicle (4) Right side to vehicle (8) Other (specify):

PEDESTRIAN'S AVOIDANCE ACTIONS 18. Pedestrian's Arm Orientation at Initial Impact (01) At sides 15. Pedestrian's First Avoidance Actions (02) Folded across chest (03) Hands clasped behind back (00) No avoidance actions (01) Stopped(02) Accelerated pace (04) Hands on hips (05) Hands in pockets (03) Ran away (along vehicle path) (04) Jumped One or both arms: (05) Turned toward vehicle(06) Turned away from vehicle (06) Extended upward (07) Extended to side (07) Dove or fell away (08) Extended forward bracing (09) Extended, holding object (briefcase, suitcase, etc.) Used hand(s) to: (10) Holding object (young child, (11) Vault corner of vehicle grocery bag, etc.) in arm(s) (12) Vault onto vehicle (13) Brace against vehicle (11) Holding object (young child, grocery (14) Crouched and braced hands against vehicle bag, etc.) on shoulder(s) or head (98) Other (specify): (98) Other (specify):_____ (99) Unknown (99) Unknown 19. Pedestrian's Leg Orientation at Initial Impact (01) Together PEDESTRIAN'S ORIENTATION AT IMPACT (02) Apart-laterally (03) Apart-right leg forward (04) Apart-left leg forward (05) Apart- forward leg unknown 16. Pedestrian's Head Orientation (06) Left foot off the ground at Initial Impact (07) Right foot off the ground (1) To front (08) Both feet off the ground (2) To left (98) Other (specify):_____ (3) To right (99) Unknown (4) Up (5) Down 20. Vehicle/Pedestrian's Interaction (8) Other (specify): (01) Carried by vehicle, wrapped position (9) Unknown (02) Carried by vehicle, slid to windshield (03) Carried by vehicle, position unknown (04) Passed over vehicle top 17. Pedestrian's Body (Chest) Orientation (05) Thrown straight forward at Initial Impact (06) Thrown forward and left of vehicle (1) Facing vehicle (07) Thrown forward and right of vehicle (2) Facing away (08) Knocked to pavement, forward (3) Left side to vehicle (09) Knocked to pavement, left of vehicle (4) Right side to vehicle (10) Knocked to pavement, right of vehicle (8) Other (specify):____ (11) Knocked to pavement, run over or (9) Unknown dragged by vehicle (12) Shunted to left (corner impacts only) (13) Shunted to right (corner impacts only) (14) Bumped or pushed aside (15) Snagged, rotated (16) Snagged, dragged by vehicle (17) Foot or legs run over (98) Other (specify):_____

(99) Unknown

Vational Accident Sampling System-Crashwo	ortililless Da	ta System: Pedestrian Assessment Form	Page
OFFICIAL RECORDS		INJURY CONSEQUENCES	
 21. Police Reported Alcohol Presence For Pedestrian (0) No alcohol present (1) Yes alcohol present (7) Not reported (9) Unknown 		25. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown	4
22. Alcohol Test Result For Pedestrian Code actual value (decimal implied before first digit—0.xx) (95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (99) Unknown if test given Source:	46	(6) Died prior to accident (9) Unknown 26. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify): Nonfatal (3) Hospitalization (4) Transported and released	<u> </u>
 23. Police Reported Other Drug Presence For Pedestrian (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (9) Unknown 	<u>U</u>	(5) Treatment at scene - non-transported (6) Treatment later (8) Treatment - other (specify): (9) Unknown	2
24. Other Drug Specimen Test Result For Pedestrian (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen, (specify):		27. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify): (9) Unknown	
		28. Hospital Stay (00) Not Hospitalized Code the number of days (up through	
		that the pedestrian stayed in a hospital (61) 61 days or more (99) Unknown	·) ¬ ·
		29. Working Days Lost Code the number of days (up through 60) that the pedestrian lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown	1-

· Service of the serv

STOP - VARIABLES 30 THROUGH 37 AR	RE COMPLETED BY THE ZONE CENTER
30. Glasgow Coma Scale (GCS) Score (at Medical Facility)	34. 1st Medically Reported Cause of Death
(00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility	35. 2nd Medically Reported Cause of Death
(03-15) Code the actual value of the initial GCS Score recorded at medical facility.	36. 3rd Medically Reported Cause of Death Ocode the Pedestrian Injury from line
(97) Injured, details unknown (99) Unknown if injured	number(s) for the medically reported injury(s) which reportedly contributed to
31. Was the Pedestrian Given Blood? (1) No - blood not given	this pedestrian's death (00) Not fatal or no additional causes (96) Mode of death given but specific
(2) Yes - blood given (specify units):	injuries are not linked to cause of death. (specify):
32. Arterial Blood Gases (ABG) – HCO ₃	(97) Other result (includes fatal ruled disease) (specify):
(00) Not injured(01) Injured, ABGs not measured or reported(02-50) Code the actual value of the HCO₃	(99) Unknown
(96) ABGs reported , HCO ₃ unknown (97) Injured, details unknown	37. Number of Recorded Injuries for
(99) Unknown if injured	Code the actual number of injuries recorded for this pedestrian. (00) No recorded injuries
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day =31, 2 days = 32, n days = 30 +n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	(97) Injured, details unknown (99) Unknown if injured
ARE ALL APPLICABLE MEDICAL RECORD NO[]	S INCLUDED WITH INITIAL SUBMISSION?
• •	- · /
UPDATE CANDIDATE?	NO[1/] YES[]



Administration

U.S. Department of Transportation

National Highway Traffic Safety

PEDESTRIAN INJURY FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

Primary Sampling Unit Number

643 P

3. Pedestrian Number

0 1

2. Case Number - Stratum

4. Blank

<u>X</u> <u>X</u>

INJURY DATA

Record below the actual injuries sustained by this pedestrian in CHRONOLOGICAL order that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than twenty-five injuries have been documented, encode the balance on the Pedestrian Injury Supplement.


				AIS-90					Injury				
	Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
1st	5.3	6. <u>b</u>	,4	8. <u>06</u>	9. <u>7 S</u>	10	11.8	12.703	13	14.2	1 <u>5</u> 2	16. 2	17 <u>.</u>
2nd	18	19	20	21	22	23	24	25	26	27	28	29	30
3rd	31	32	33.	34	35	36	37	38.	39	40	41	42	43
4th	44	45	46.	47	48	49	50	51.	52.	53	54	55	56
5th	57	58	59	60	61	62	63	64	65.	66	67	68	69. <u> </u>
6th	70	71	72	73.	74	75	76	77.	78	79	80	81	82
7th	83	84	85	86	87	88	89	90.	91:	92	93	94	95,
8th	96	97	98	99	100.	_101. <u> </u>	102	103	104	105	106	107	108
9th	109	110.	114.	112	113.	114	115	116	117	118	119	120	121
10th	122	123	124	125	126	127	128	129	130	131	132	133	134

This report is authorized by P.L. 89-563, Title 1, Section 106, 108, and 112. While you are not required to respond, your cooperation is needed to make the results of this data collection effort comprehensive, accurate, and timely.

				PEDES	EDESTRIAN INJURY DATA							
Source of Injury Data	Body Region	Type of Anatomic Structure	Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Striking Profile	Type Of Damage	Damage Depth
11th				-								
12th				, et								
13th												
14th												
15th												
16th												
17th												
18th				 .								
19th												
20th												
21st												
22nd								_				
23rd												
24th								_				
25th												

INJURY SOURCE CONFIDENCE LEVEL **SOURCE OF INJURY DATA** TYPE OF DAMAGE (1) Certain (2) Probable (0) Injury not from vehicle contact No damage/contact (1) Autopsy records with or without hospital/ Possible Scratch (Scuff, Cloth Transfer, Smear) medical records (9) Unknown (3) Dent (2) Hospital/medical records other than (4) Large deformation **DIRECT/INDIRECT INJURY** emergency room (e.g., discharge Cracked, fractured, shattered summary) Direct contact injury (6) Separated from vehicle (3) Emergency room records only (including Indirect contact injury (7) Noncontact injury Noncontact injury associated X-rays or other lab reports) Other specify: (8) (7) Injured, unknown source Private physician, walk-in or emergency Unknown STRIKING PROFILE **DAMAGE DEPTH** Injury not from vehicle contact (0) Injury not from vehicle contact UNOFFICIAL Flat-Narrow (<15 centimeters) Flat-Wide (≥ 15 centimeters) Rounded (contoured) (1) No residual damage (5) Lay coroner report Surface only damage Crush depth > 0 to 2 centimeters Crush depth > 2 to 5 centimeters Crush depth > 5 to 10 centimeters (6) E.M.S. personnel Rounded edge (3) (7) Interviewee (5)Sharp edge (8) Other source (specify): (5) Other (specify): Other specify: (9) Police (9) Unknown Unknown PEDESTRIAN INJURY CLASSIFICATION **Body Region** Spine (02) Cervical (04) Thoracic **Specific Anatomic Structure** Abbreviated Injury Scale Whole Area (02) Skin - Abrasion (04) Skin - Contusion (06) Skin - Laceration (08) Skin - Avulsion Minor injury Head (06) Lumbar Moderate injury Face (3) (4) (3) (4) Neck Serious injury Vessels, Nerves, Organs, Bones, Joints are assigned consecutive two digit Severe injury Thorax Abdomen (5) Critical injury (5)(6) Spine (10) Amputation (20) Burn numbers beginning with 02 (6) (7) Maximum (untreatable) **Upper Extremity** Injured, unknown severity (7)(30) Crush (8) Lower Extremity Level of Injury (40) Degloving (50) Injury - NFS Unspecified **Aspect** Specific injuries assigned Type of Anatomic Structure Right Left Trauma, other than mechanical consecutive (1) two-digit numbers beginning with 02. (3) (4) (5) Whole Area Bilateral (02) Length of LOC (04, 06, 08) Level of Consciousness To the extent possible, within the organizational framework of the AIS, 00 (2) Vessels Central Anterior (3)Nerves Organs (includes muscles/ (10) Concussion is assigned to an injury NFS as to (6) (7) (8) Posterior severity or where only one injury is given in the dictionary for that anatomic structure. 99 is assigned to any injury Superior Inferior ligaments) Skeletal (includes joints) Head - LOC (5)(6) Unknown Whole region (9) Skin NFS as to lesion or severity. **INJURY SOURCE FRONT** Wheels / tires 700 Front bumper 744 B pillar 790 Left front wheel / tire 701 Front lower valance/spoiler 745 C pillar 791 Right front wheel / tire 702 Front grille 746 D pillar 792 Left rear wheel / tire 793 Right rear wheel /tire 703 Hood edge and/or trim 748 Other pillar (specify): 798 Other wheel / tire (specify): _ 749 Right side roof rail 704 Hood ornament (fixed) 750 Right side door surface 705 Hood ornament (spring loaded) 799 Unknown wheel / tire 706 Headlight 751 Right side door handle 707 Retractable headlight door (Open/Closed) 752 Right side mirror fixed housing Undercarriage components 708 Turn signal/parking lights 753 Right side folding mirror 800 Front crossmember 718 Other front or add on object 754 Right side glazing forward of B pillar 801 Steering assembly/Front suspension 802 Oil pan 755 Right side glazing rearward of B pillar (specify): 719 Unknown front object 803 Exhaust system pipe 756 Rear antenna 757 Rear fender or quarter panel 804 Transmission Left Side Components 758 Other right side object 805 Drive shaft 806 Catalytic converter 720 Front fender side surface (specify): 759 Unknown right side component 807 Muffler 721 Front antenna 808 Floor pan 722 A1 pillar 723 A2 pillar **Back Components** 809 Fuel tank 724 B pillar 760 Rear (back) bumper 810 Rear suspension 725 C pillar 818 Other undercarriage component 761 Tailgate 762 Hatchback, vertical surface 726 D pillar 819 Unknown undercarriage component 728 Other pillar 768 Other back component (specify): (specify): 729 Left side roof rail 769 Unknown back component Accessories 820 Air scoop, deflector 730 Left side door surface 821 Cellular or CB radio antenna 731 Left side door handle Top Components 770 Hood surface 822 Emergency lights or bar 732 Left side mirror fixed housing 823 Fog lights 733 Left side folding mirror 771 Hood surface reinforced by under hood 824 Luggage, ski, or bike rack 734 Left side glazing forward of B pillar component 825 Cargo (specify):_ 735 Left side glazing rearward of B pillar 772 Front fender top surface 736 Left side back fender or quarter panel 773 Cowl area 826 Spare tire 737 Rear antenna 774 Wiper blade & mountings 827 Spotlight 738 Other left side object 775 Windshield glazing 828 Other accessory (specify):_ (specify): 776 Front header 739 Unknown left side component Other Object or Vehicle in Environment 777 Roof surface 947 Ground 778 Backlight glazing 948 Other object (specify): Right Side Components 779 Rear header 740 Front fender side surface 780 Hatchback 949 Unknown object in environment 959 Unknown object on contacting vehicle 741 Front antenna 781 Rear trunk lid 997 Noncontact injury source 742 A1 pillar 788 Other top component (specify): _ 999 Unknown injury source 743 A2 pillar 789 Unknown top component

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



rayo

e

Restrained?

No

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)

Yes

Blood Alcohol Level

(mg/dl)

BAL =

Glasgow Coma Scale Score

GCSS = 15

Units of Blood Given

Units =


Arterial Blood Gases


Ph = _.-

PO₂= _

PCO₂


HCO₃






OFFICIAL INJURY DATA —INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)





lational Highway Traffic Safety	PEDESTRIAN GENE	RAL VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUD
1. Primary Sampling Unit Num	7 A	OFFICIAL RECORDS
2. Case Number - Stratum	643 _P	9. Police Reported Travel Speed
3. Vehicle Number	0_1	Code to the nearest kmph (NOTE: 000 means less than 0.5 kmph)
VEHICLE IDENTI	FICATION	(160) 159.5 kmph and above (999) Unknown
4. Vehicle Model Year Code the last two digits of (99) Unknown	the model year	mph X 1.6093 =kmph 10. Speed Limit (000) No statutory limit Code posted or statutory speed limit
5. Vehicle Make (specify): Applicable codes are found NASS PCDS Data Collection Editing Manual. (99) Unknown		in kmph (999) Unknown 30 mph X 1.6093 = kmph 11. Police Reported Alcohol Presence For Driver (0) No alcohol present
6 Vehicle Model (specify): Applicable codes are found NASS PCDS Data Collection Editing Manual. (999) Unknown		(1) Yes alcohol present (7) Not reported (8) No driver present (9) Unknown 12. Alcohol Test Result For Driver Code actual value (decimal implied before first digit—0.xx)
7. Body Type Note: Applicable codes may the back of this page.8. Vehicle Identification Numb		(95) Test refused (96) None given (97) AC (Alcohol Content) test performed, results unknown (98) No driver present (99) Unknown Source:
Left justify; Slash zeros and No VIN—Code all zeros Unknown—Code all nines	11 12 13 14 15 16 17 letter Z (Ø and Z)	13. Police Reported Other Drug Presence For Driver (0) No other drug(s) present (1) Yes other drug(s) present (7) Not reported (8) No driver present (9) Unknown
		14. Other Drug Specimen Test Result For Driver (0) No specimen test given (1) Drug not found in specimen (2) Drug found in specimen (specify): (3) Specimen test given, results unknown or not obtained (8) No driver present (9) Unknown

CODES FOR BODY TYPE

CDS APPLICABLE VEHICLES

Automobiles

- (01) Convertible (excludes sun-roof, t-bar)
- (02) 2-door sedan, hardtop, coupe
- (03) 3-door/2-door hatchback
- (04) 4-door sedan, hardtop
- (05) 5-door/4-door hatchback
- (06) Station wagon (excluding van and truck based)
- (07) Hatchback, number of doors unknown
- (08) Other automobile type (specify):
- (09) Unknown automobile type

Automobile Derivatives

- (10) Auto based pickup (includes El Camino, Caballero, Ranchero, Brat, and Rabbit pickup)
- (11) Auto based panel (cargo station wagon, auto based ambulance/hearse)
- (12) Large limousine more than four side doors or stretched chassis
- (13) Three-wheel automobile or automobile derivative

Utility Vehicles (≤ 4,500 kgs GVWR)

- (14) Compact utility (Jeep CJ-2 CJ-7, Scrambler, Golden Eagle, Renegade, Laredo, Wrangler, Cherokee [84 and after], Dispatcher, Raider, Bronco II, Bronco [76 and before], Explorer, S-10 Blazer, Geo Tracker, Bravada, S-15 Jimmy, Thing, Pathfinder, Trooper, Trooper II, Rodeo, Amigo, Navajo, 4-Runner, Montero, Samurai, Sidekick, Rocky)
- (15) Large utility (includes Jeep Cherokee [83 and before], Ramcharger, Trailduster, Bronco-fullsize [78 and after], fullsize Blazer, fullsize Jimmy, Landcruiser, Rover, Scout)
- (16) Utility station wagon (Chevy Suburban, GMC Suburban, Travelall, Grand Wagoneer, includes suburban limousine)
- (19) Utility, unknown body type

Van Based Light Trucks (≤ 4,500 kgs GVWR)

- (20) Minivan (Chrysler Town and Country, Caravan, Grand Caravan, Voyager, Grand Voyager, Mini-Ram, Dodge/Plymouth Vista, Aerostar, Villager, Lumina APV, Trans Sport, Silhouette, Astro, Safari, Toyota Van, Toyota Minivan, Previa, Nissan Minivan, Quest, Mitsubishi Minivan, Vanagon/Camper.)
- (21) Large van (B150-B350, Sportsman, Royal, Maxiwagon, Ram, Tradesman, Voyager [83 and before], E150-E350, Econoline, Clubwagon, Chateau, G10-G30, Chevy Van, Beauville, Sport Van, G15-G35, Rally Van, Vandura.)
- (22) Step van or walk-in van (≤ 4,500 kgs GVWR)
- (23) Van based motorhome (≤ 4,500 kgs GVWR)
- (24) Van based school bus (≤ 4,500 kgs GVWR)
- (25) Van based other bus (≤ 4,500 kgs GVWR)
- (28) Other van type (Hi-Cube Van, Kary) (specify):
- (29) Unknown van type

Light Conventional Trucks (Pickup style cab, ≤ 4,500 kgs GVWR)

- (30) Compact pickup (D50, Colt P/U, Ram 50, Dakota, Arrow Pickup [foreign], Ranger, Courier, S-10, T-10, LUV, S-15, T-15, Sonoma, Datsun/Nissan Pickup, P'up, Mazda Pickup, Toyota Pickup, Mitsubishi Pickup)
- (31) Large Pickup (Jeep Pickup, Comanche, Ram Pickup, D100-D350, W100-W350, F100-F350, C10-C35, K10-K35, R10-R35, V10-V35, Silverado, Sierra, R100-R500,)

- (32) Pickup with slide-in camper
- (33) Convertible pickup
- (39) Unknown pickup style light conventional truck type

Other Light Trucks (≤ 4,500 kgs GVWR)

- (40) Cab chassis based (includes rescue vehicles, light stake, dump, and tow truck)
- (41) Truck based panel
- (42) Light truck based motorhome (chassis mounted)
- (45) Other light conventional truck type
- (48) Unknown light truck type
- (49) Unknown light vehicle type (automobile, utility, van, or light truck)

OTHER VEHICLES

Buses (Excludes Van Based)

- (50) School bus (designed to carry students, not cross country or transit)
- (58) Other bus type (e.g., transit, intercity, bus based motorhome) (specify):
- (59) Unknown bus type

Medium/Heavy Trucks (> 4,500 kgs GVWR)

- (60) Step van (> 4,500 kgs GVWR)
- (61) Single unit straight truck (4,500 kgs < GVWR ≤ 8,850 kgs)
- (62) Single unit straight truck (8,850 kgs < GVWR ≤ 12,000 kgs)
- (63) Single unit straight truck (> 12,000 kgs GVWR)
- (64) Single unit straight truck, GVWR unknown
- (65) Medium/heavy truck based motorhome
- (67) Truck-tractor with no cargo trailer
- (68) Truck-tractor pulling one trailer
- (69) Truck-tractor pulling two or more trailers
- (70) Truck-tractor (unknown if pulling trailer)
- (78) Unknown medium/heavy truck type
- (79) Unknown truck type (light/medium/heavy)

Motored Cycles (Does Not Include All-Terrain Vehicles/Cycles)

- (80) Motorcycle
- (81) Moped (motorized bicycle)
- (82) Three-wheel motorcycle or moped
- (88) Other motored cycle (minibike, motorscooter) (specify):_____
- (89) Unknown motored cycle type

Other Vehicles

- (90) ATV (All-Terrain Vehicle) and ATC (All-Terrain Cycle)
- (91) Snowmobile
- (92) Farm equipment other than trucks
- (93) Construction equipment other than trucks
- (97) Other vehicle type
- (99) Unknown body type

	VEHICLE WEIGHT ITEMS		RECONSTRUCTION DATA
(045 (610 (995	icle Curb Weight Code weight to nearest 10 kilograms. 5) Less than 450 kilograms 0) 6,100 kilograms or more 9) Unknown 1 2 2 2 kgs) 	NOTE: 000 means greater than .5 kmph) 160) 159.5 kmph and above
16. Veh (000 (450	icle Cargo Weight Code weight to nearest 10 kilograms. 0) Less than 5 kilograms 0) 4,500 kilograms or more 9) Unknown 150 lbs x .4536 =	20. D	2) ≥ 2 kmph and ≤ 8 kmph 3) ≥ 9 kmph and ≤ 16 kmph 4) ≥ 17 kmph and ≤ 26 kmph 9) Unknown Pata Source of Impact Speed 1) No impact speed calculated 1) Zone center calculation 2) Police calculation 3) Driver/witness/police estimates
			PRECRASH DATA
(0) (1) (2) (3) (4) (5) (6) (7) (8) (9)	OTHER DATA sicle Special Use (This Trip) No special use Taxi Vehicle used as school bus Vehicle used as other bus Military Police Ambulance Fire truck or car Other (specify): Unknown	22. P	Prior to Recognition of Critical Event) Full attention to driving Distracted by other occupant Distracted by moving object in vehicle Distracted by outside person, object, or event
			98). No driver present 99). Unknown

23.		cal Precrash Event Vehicle Loss of Control Due To:		(83)	Pedalcyclist or other nonmotorist in roadwa (specify):	ay
	(01)	Blow out or flat tire		(84)	Pedalcyclist or other nonmotorist approach	ing
		Stalled engine			roadway (specify):	
		Disabling vehicle failure (e.g., wheel fell off) (specify):		(85)	Pedalcyclist or other nonmotorist—unknow location (specify):	'n
	(04)	Non-disabling vehicle problem (e.g., hood flew	•	Obje	ect or Animal	
		up) (specify):			Animal in roadway	
	(05)	Poor road conditions (puddle, pot hole, ice, etc.)			Animal approaching roadway	
		(specify):			Animal—unknown location	
		Traveling too fast for conditions			Object in roadway	
	(80)	Other cause of control loss (specify):			Object approaching roadway	
					Object—unknown location	
		Unknown cause of control loss Vehicle Traveling	,		Other critical precrash event (specify):	
		Over the lane line on left side of travel lane	_	(99)	Unknown	_
		The same and the same of the s	ay		()	Ξ.
		Off the edge of the road on the left side	24.	Atte	mpted Avoidance Maneuver	$\underline{\sim}$
		Off the edge of the road on the right side		(00)	No driver present	
		End departure			No avoidance actions	
		Turning left at intersection			Braking (no lockup)	
2-		Turning right at intersection			Braking (lockup)	
•	_	Crossing over (passing through) intersection			Braking (lockup unknown)	
		Unknown travel direction			Releasing brakes	
		er Motor Vehicle In Lane			Stearing oft	
		Stopped			Steering right	
	(51)	Traveling in same direction with lower speed			Braking and steering left	
	/E 2\	(i.e., lower steady speed or decelerating)			Braking and steering right	
		Traveling in same direction with higher speed Traveling in opposite direction			Accelerating Accelerating and steering left	
		In crossover			Accelerating and steering left Accelerating and steering right	
		Backing			Other action (specify):	
		Unknown travel direction of other motor vehicle			Unknown	_
	(00)	in lane				3
		er Motor Vehicle Encroaching Into Lane	25.		rash Stability After Avoidance Maneuver	
	(60)	From adjacent lane (same direction) - over left			No driver present	
		lane line		(1) (2)	No avoidance maneuver Tracking	
	(61)	From adjacent lane (same direction)—over right lane line		(3)	Skidding longitudinally—rotation less than 3 degrees	30
		From opposite direction—over left lane line		(4)	Skidding laterally—clockwise rotation	
		From opposite direction—over right lane line		(5)	Skidding laterally—counterclockwise rotation	on
		From parking lane		(8)	Other vehicle loss-of-control (specify):	
		From crossing street, turning into same direction				
		From crossing street, across path		(9)	Precrash stability unknown	^
		From crossing street, turning into opposite direction	26.		rash Directional Consequences of	4
		From crossing street, intended path not known			idance Maneuver (Corrective Action)	
		From driveway, turning into same direction			No driver present	
		From driveway, across path		(1)	No avoidance maneuver	
		From driveway, turning into opposite direction		(2)	Vehicle stayed in travel lane where avoidar maneuver was initiated	ice
		From driveway, intended path not known		(3)	Vehicle stayed on roadway but left travel la	ane
		From entrance to limited access highway		(0)	where avoidance maneuver was initiated	
		Encroachment by other vehicle—details unknown		(4)	Vehicle stayed on roadway, not known if le travel lane where avoidance maneuver was	
		estrian or Pedalcyclist, or Other Nonmotorist			initiated	-
		Pedestrian in roadway		(5)		
		Pedestrian approaching roadway			Avoidance maneuver initiated off roadway	
	(82)	Pedestrian—unknown location		(9)	Directional consequences unknown	

	ENTAL DATA
27. Relation to Junction (0) Non-junction (1) Interchange (2) Intersection (3) Intersection-related (4) Drive, alley access related (5) Other non-interchange (specify): (6) Unknown type of non-interchange (9) Unknown if interchange 28. Trafficway Flow (1) Not physically divided (two way traffic) (2) Divided trafficway - median strip without positive barrier (3) Divided trafficway - median strip with positive barrier (4) One way trafficway (9) Unknown 29. Number of Travel Lanes (1) One (2) Two (3) Three (4) Four (5) Five (6) Six (7) Seven or more (9) Unknown 30. Roadway Alignment (1) Straight (2) Curve right (3) Curve left (9) Unknown	33. Roadway Surface Condition (1) Dry (2) Wet (3) Snow and slush (4) Ice (5) Sand, dirt or oil (8) Other (specify): (9) Unknown 34. Traffic Control Device (0) No traffic control signal (not RR crossing) (1) Trafficway traffic control signal (not RR crossing) (2) Stop sign (3) Yield sign (4) School zone sign (5) Other sign (specify): (6) Unknown sign (7) Warning sign (not RR crossing) (8) Miscellaneous/other controls including RR controls (specify): (9) Unknown 35. Traffic Control Device Functioning (0) No traffic control (1) Not Functioning (2) Functioning (9) Unknown 36. Light Conditions (1) Daylight (2) Dark (3) Dark, but lighted (4) Dawn (5) Dusk (9) Unknown
31. Roadway Profile (1) Level (2) Uphill Grade (>2%) (3) Downhill Grade (>2%) (4) Hillcrest (5) Sag (9) Unknown 32. Roadway Surface Type (1) Concrete (2) Bituminous (asphalt) (3) Brick or Block (4) Slag, gravel or stone (5) Dirt (8) Other (specify): (9) Unknown	37. Atmospheric Conditions (1) No adverse atmospheric related driving conditions (2) Rain (3) Sleet (4) Snow (5) Fog (6) Rain and fog (7) Sleet and fog (8) Other (e.g., smog, smoke, blowing sand or dust, etc.) (specify):

-				
			196	
		82-6437		
		92 506/25W	84	yom
			5-16	
		f = 0.55	128	#
		POI to FRP = 7m = 23 ft.		black shows
		59 YOF	TAR	
		21d no1 5.2 P.d		
		20-30	en e	and the second
_		And, - Lock 87 cm to hip		
		V=725 fg	and the state of t	
		V= 7(2) (23) (0.55) (32.2)		
	NAMES OF THE PERSON OF THE PER	= 28,5-=19mph = 31	KPh	
•				
-				
-				
	<u> </u>			
a Arijira⊊pi				
Supplies to the la	osterio de la constante de la			

7.458 /



PEDESTRIAN EXTERIOR VEHICLE FORM NATIONAL ACCIDENT SAMPLING SYSTEM PEDESTRIAN CRASH DATA STUDY

1. Primary Sampling Unit Number

2. Case Number - Stratum

3. Vehicle Number

VEHICLE IDENTIFICATION

VIN 1 ME LM58 45N A

Model Yea

Vehicle Make (specify):

Vehicle Model (specify):

PEDESTRIAN FRONT CONTACT WORK SHEET

PEV06 Hood Material

PEV08 Hood Length

PEV09 Hood Width-Forward Opening

PEV10 Hood Width-Midway

PEV11 Hood Width-Rear Opening

PEV14 Front Bumper Cover Material

PEV15 Front Bumper Reinforcement Material

cm

cm

cm

cm

VERTICAL MEASUREMENTS

PEV16 Front Bumper-Bottom Height

PEV17 Front Bumper-Top Height

PEV18 Forward Hood Opening

PEV19 Front Bumper Lead

cm

cm

cm

WRAP DISTANCES

PEV20 Ground to Forward Hood Opening

PEV21 Ground to Front/Top Transition Point

PEV22 Ground to Rear Hood Opening

PEV23 Ground to Base of Windshield

PEV24 Ground to Top of Windshield

PEV25 Ground to Head Contact


cm

cm

cm


cm cm


VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground:






NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centertin (lateral) and the front axies (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass if tire bead, direction of striations, scuff on sidewalls, stc.).

Location of the origin (intercept point of the centerline and the front axies) from the ground:

169

	PEDESTRIAN SIDE CONTACT WORK SHEET	
PEV06	Hood Material	
PEV08	Hood Length	cm
PEV09	Hood Width-Forward Opening	cm
PEV10	Hood Width-Midway	cm
PEV11	Hood Width-Rear Opening	cm
	VERTICAL MEASUREMENTS	
PEV26	Ground Clearance	cm
PEV27	Side Bumper-Bottom Height	cm
PEV28	Side Bumper-Top Height	cm
PEV29	Centerline of Wheel	cm
PEV30	Top of Tire	cm
PEV31	Top of Wheel Well Opening	cm
PEV32	Bottom of A-Pillar at Windshield	cm
PEV33	Top of A-Pillar at Windshield	cm
PEV34	Top of Side View Mirror	cm
	LATERAL MEASUREMENTS	
PEV35	C _L to A-Pillar at Bottom of Windshield	cm
PEV36	C _L to A-Pillar at Top of Windshield	cm
PEV37	C _L to Maximum Side View Mirror Protrusion	cm
	WRAP DISTANCES	
PEV38	Ground to Side/Top Transition	cm
	Ground to Hood Edge	cm
	Ground to Centerline of Hood (ORIGIN)	cm
	Ground to Head Contact	cm

VEHICLE DAMAGE SKETCH



NOTES: Sketch all pedestrian contacts, include the size and depth in centimeters. Locate the pedestrian contacts from the intercept point of the centerline (lateral) and the front axles (longitudinal) in centimeters. Annotate observations which might be useful in reconstructing the accident (e.g., grass in tire bead, direction of striations, scuff on sidewalls, etc.).

Location of the origin (intercept point of the centerline and the front axles) from the ground: _

	ORIGINAL SPECIFICATION	DNS
Wheelbase Overall Length Maximum Width Curb Weight Average Track Front Overhang Rear Overhang Undeformed End Width Engine Size: cyl./disp		x = 2.54 = $x = 2.54 = $ $x = 2.54 = $ $x = 4.4536 = $ x
3		x .0164 = . L
707 Retractable headlight door (Open/Closed) 708 Turn signal/parking lights 718 Other front or add on object (specify): 719 Unknown front object	752 Right side mirror fixed housing 753 Right side folding mirror 754 Right side glazing forward of B pillar 755 Right side glazing rearward of B pillar 756 Rear antenna 757 Rear fender or quarter panel	Undercarriage components 800 Front cross member 801 Steering assembly/Front suspension 802 Oil pan 803 Exhaust system pipe 804 Transmission
eft Side Components 20 Front fender side surface 21 Front antenna 22 A1 pillar 23 A2 pillar	758 Other right side object (specify): 759 Unknown right side component Back Components	805 Drive shaft 806 Catalytic converter 807 Muffler 808 Floor pan 809 Fuel tank
24 B pillar 25 C pillar 26 D pillar 28 Other pillar (specify): 29 Left side roof rail	760 Rear (back) bumper 761 Tailgate 762 Hatchback, vertical surface 768 Other back component (specify):	810 Rear suspension 818 Other undercarriage component (specify): 819 Unknown undercarriage component
30 Left side door surface 31 Left side door handle 32 Left side mirror fixed housing 33 Left side folding mirror 34 Left side glazing forward of E pillar	Top Components 770 Hood surface 771 Hood surface reinforced by under hood component	820 Air scoop, deflector 821 Cellular or CB radio antenna 822 Emergency lights or bar 823 Fog lights 824 Luggage, ski, or bike rack
35 Left side glazing rearward of B pillar 36 Left side back fender or quarter panel	772 Front fender top surface 773 Cowl area 774 Wiper blade & mountings	825 Cargo (specify):
37 Rear antenna 38 Other left side object (specify):	775 Windshield glazing 776 Front header 777 Roof surface	826 Spare tire 827 Spotlight 828 Other accessory (specify):

The second secon

	POINTS OF PEDESTRIAN CONTACT PEDESTRIAN CONTACT WORKSHEET								
CONTACT ID LABEL	COMPONENT CONTACTED	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	SEQUENCE	
1	Bumper	114	795	φ	leg,	Snears	7 2 3 9	1	
9	بملاعد	90	-90	9	We/	Sulffrence Colored	① 2 3 F	à	
K	Hood	59	721	0	thip	4	1 2 3 9	2	
8	4000	57	-19	9	Horr	Check	D 2-2-1	3	
A	\	19	9	D	Bac	900070700007000000000000000000000000000	2 3 9	9	
0	Nood	59	<u> </u>		Control of the last	All Popular	(1) 2 1 9	4	
7	Nood	(3	79	9	Afra Ba	y Streets	2 3 9	6	
E	South	713	10	0		Smish Char	①2 1 P	ŋ	
9	Hood	49	15	0 9	Upper Ba	y Stoeck	1)2 3 9	\bigcirc	
<u> </u>	1/22/3	25	37	0	[sue/be	h Lefen	(T)2 : 1 i	G	
		65	18	Θ	Kenny/	- May X	2 3 9	チ	
	book	42	46	9	Lambi	200	9221	7	
F	book	85	35	0	Buth	batus Street	1) 2 3 9	8	
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 3 8		
							1 2 3 9		
							1 2 3 9		
							1 2 3 9		
							1 2 1 9		
							1 2 3 9	<i>Y</i> .	

POINTS OF PEDESTRIAN CONTACT


•	CHRONOLOGICAL ORDER OF CONTACTS		I	ī				
CONTACT #	COMPONENT CONTACTED CODE	LONGITUDINAL LOCATION (X)	LATERAL LOCATION (Y)	CRUSH IN Centimeters	SUSPECTED BODY REGION	SUPPORTING PHYSICAL EVIDENCE	CONFIDENCE LEVEL OF CONTACT POINT (Circle)	
1							1 2 3 9	
2							1 2 3 9	
3							1 2 3 9	
4							1 2 3 9	
5							1 2 3 9	
8							1 2 3 9	
7							1 2 3 9	
•							1 2 3 9	
9							1 2 3 9	
10							1 2 3 9	
11							1 2 3 9	
12							1 2 3 9	
13							1 2 3 9	
14							1 2 3 9	
15							1 2 3 9	
16							1 2 3 9	
17							1 2 3 9	
18							1 2 3 4	
19							1 2 3 9	
20							1 2 3 9	
21							1 2 3 9	
22							1 2 3 9	
23			44.4				1 2 3 9	
24							1 2:3:8	
25							1 2 3 9	

actional Accident Sampling System-Crashworthiness Data	System: Pedestrian Exterior Venicie Form Page /
VEHICLE DIMENSIONS	11. Hood Width Rear Opening
4. Original Wheelbase	Code to the
Code to the	nearest centimeter
nearest centimeter	(210) 210 centimeters or more
(999) Unknown	(999) Unknown
	inches V 2.54 — contimeters
centimeters	inches X 2.54 = centimeters
5. Original Average Track Width (54	12. Hood/Fender Vertical/Lateral Crush From
Code to the	Pedestrian (2)
nearest centimeter	(0) Not damaged
(185) 185 centimeters or more	(1) Surface scratching only, no residual crush (2) Minor crush (1-3 centimeters)
(999) Unknown	(3) Moderate crush (4-7 centimeters)
100 V 154	(4) Severe crush (>7 centimeters)
$-\underline{5}$ inches x 2.54 = $\underline{5}$ centimeters	(8) Damage present, unknown if damage is from
' ~!	pedestrian impact
6. Hood Material	(9) Unknown
(1) Plastic	13. Windshield Contact Damage
(2) Fiberglass	From Pedestrian Contact
(3) Steel	(0) Not contacted by pedestrian
(4) Aluminum	(1) Contacted by pedestrian - not damaged
(5) Stainless Steel (8) Other (specify):	(2) Contacted by pedestrian - damaged
(9) Unknown	(3) Unknown if contacted by pedestrian - not
(6)	damaged (4) Unknown if contacted by pedestrian
7. Hood Original	(4) Unknown if contacted by pedestrian - damaged
Equipment Manufacturer (OEM)	(9) Unknown if contacted by pedestrian -
(1) OEM factory installed hood	unknown if damaged
(2) OEM replacement (3) Non-OEM replacement	
(9) Unknown	FRONT CONTACT DAMAGE
1 10	
8. Hood Length	Front Vertical Measurements
Code to the	14. Front Bumper Cover Material
nearest centimeter	(0) No front contact
(180) 180 centimeters or more (999) Unknown	(1) Plastic
(333) Olikilowii	(2) Fiberglass
inches X 2.54 = centimeter _	(3) Rubber
C11.	(4) Other (specify):(9) Unknown
9. Hood Width Forward Opening	(9) Officiowii
Code to the	15. Front Bumper Reinforcement Material
nearest centimeter (210) 210 centimeters or more	(0) No front contact
(999) Unknown	(1) Steel
1000, 0	(2) Aluminum
inches X 2.54 = centimeters	(3) Stainless Steel
147	(4) Other (specify):(9) Unknown
10. Hood Width Midway	
Code to the nearest centimeter	16. Front Bumper-Bottom Height $\underbrace{\bigcup T \bigcup}$
(210) 210 centimeters or more	Code to the
(999) Unknown	nearest centimeter
	(000) No front contact (150) 150 centimeters or more
inches X 2.54 = centimeters	(999) Unknown
	(300) SIRIOWII
	. inches X 2.54 = centimeters

17. Front Bumper-Top Height Code to the nearest centimeter (000) No front contact (150) 150 centimeters or more (999) Unknown	23. Ground to Base of Windshield Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown
18. Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknown	24. Ground to Top of Windshield Code to the nearest centimeter (000) No front contact (500) 500 centimeters or more (999) Unknown
19. Front Bumper Lead (00) No front contact Code to the nearest centimeter (30) 30 centimeters or more (99) Unknown	25. Ground To Head Contact Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (998) No head contact (999) Unknown
inches X 2.54 = centimeters Front Wrap Distance Measurements	SIDE CONTACT DAMAGE
20. Ground to Forward Hood Opening Code to the nearest centimeter (000) No front contact (200) 200 centimeters or more (999) Unknowninches X 2.54 =centimeters	Side Vertical Measurements 26. Ground Clearance Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
21. Ground to Front/Top Transition Point Code to the nearest centimeter (000) No front contact (180) 180 centimeters or more (999) Unknown inches X 2.54 =	27. Side Bumper-Bottom Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
	1
22. Ground to Rear Hood Opening Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown inches X 2.54 =	28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more (999) Unknown
Code to the nearest centimeter (000) No front contact (400) 400 centimeters or more (999) Unknown	28. Side Bumper-Top Height Code to the nearest centimeter (000) No side contact (150) 150 centimeters or more

29. Centerline of Whee	el	(100		Side Lateral Meas	urements	
Code to the					<i>O</i> / -	~
nearest cent			35. Center	line to A-Pillar	\sim 0.0) X A
(000) No side con (150) 150 centime				om of Windshield		
(190) 190 centime (999) Unknown	eters or more		(000) 1	No side contact		
(000) CHRHOWII				Code to the		
inches	s X 2.54 =	centimeters	1	nearest centimeter		
		_		250 centimeters or m Unknown	ore	
		(J)U(J)	(999) (JIKIIOWII		
30. Top of Tire Code to the		$\Delta \Delta D$		inches X 2.54 =	centimet	ers
nearest cen		•				
(000) No side con					(30)) ()
(200) 200 centime				line to A-Pillar		577
(999) Unknown				of Windshield Code to the		
				nearest centimeter		
inches	s X 2.54 =	centimeters	•	No side contact		
		α	(250)	250 centimeters or m	ore	
31. Top of Wheel Well	l Openina	$() \cup ()$	(999) (Unknown		
Code to the						
nearest cent				inches X 2.54 =	centimet	:er
(000) No side con						()
(250) 250 centime (999) Unknown	eters or more		37. Centerl	line₋to Maximum Side		V
(333) Offkriowii			1	Mirror Protrusion		
inches	s X 2.54 =	centimeters \		Code to the	•	
		-1100	1	nearest centimeter		
32. Bottom of A-Pillar			1	No side contact 300 centimeters or m	ore	
Code to the			1	Unknown	010	
nearest cent (000) No side con						
(250) 250 centime				inches X 2.54 =	centimet	er
(999) Unknown						
			Ski	le Wrap Distance M	easurements	
inches	s X 2.54 =				\bigcap	1 9
		ala	00 0	Oida/Taa Taaaaiki	\71.) (/)
33. Top of A-Pillar at \	Windshield	UWU		to Side/Top Transition Code to the		<u> </u>
Code to the				nearest centimeter		
nearest cent			1	No side contact		
(000) No side con	,		(400) 4	400 centimeters or m	ore	
(300) 300 centime (999) Unknown	eters or more		(999) (Unknown		
(000) Chikhowh				:b V 2 E4 -	centimet	ore.
inches	s X 2.54 =	centimeters		inches X 2.54 =		. ^ .
	•	Malel			(10)	114
04 T 6 Otal - 1 //	5.4:	(クロリ		to Hood Edge	$\underline{\underline{U}}$	<u>'</u>
34. Top of Side View Code to the		<u> </u>		Code to the		
nearest cen			· ·	nearest centimeter		
(000) No side con			1	No side contact 500 centimeters or m	ore	
(300) 300 centime				Unknown		
(999) Unknown						
inches	s X 2.54 =	centimeters		inches X 2.54 =	centimet	ers
inches	J A 4.04 =	Confiniatels			***	4.
			1			

40	Constant of C		00 m	
40.	Code 1		<u>~</u>	
	neares (000) No sid	st centimeter		
	(700) 700 ce	entimeters or more		
	(999) Unkno	·wn		
		inches X 2.54 =	centimeters	
41.	Ground to He		OO(1)	
	Code t	to the st centimeter		
	(000) No sid	le contact		
	(800) 800 ce (998) No hea	entimeters or more		
	(999) Unkno			
		inches X 2.54 =	centimeters	
	•			



82643P00010012 358.051000000000103F72000

82643P00010021 8.05 0000000008411654708713505810002061201020109600142009715

1010000000001

82643P00010131 8.05 00000000036406781870312322

82643P01000041 8.05 0000000009214017061MELM5845NA 99904809600149007003

11110180033201513125212

82643P01000051 8.05 0000000002691543111414314714810110400550730607908719620

PSU82

CASE 643P

CURRENT VERSION: 8.05

ERROR SUMMARY SCREEN PEDESTRIAN STUDY

/96

	UMBER OF OLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Pedestrian Accident	0	0	0	Y
Pedestrian Assessment	ō	Ö	ŏ	Ý
Pedestrian Injury	Ō	Ö	Ö	Ý
Pedestrian General Vehicle	0	0	Ö	Υ
Pedestrian Exterior Vehicl	e O	o	o	Y
Total Inter Errors		o	0	_
Total Case Errors	0	0	o	